

CONTAINS / INGREDIENTS

ZINC SULPHATE HEPTAHYDRATE 750 g/l

Cadmium [Maximum] 6 mg/l

SAFETY DIRECTIONS

Avoid contact with eyes. Avoid contact with skin. Wear protective gloves, protective clothing and eye/face protection.

WARNING STATEMENTS

Do not swallow. Avoid inhalation. Avoid release to the environment. The spray from this product may act as an irritant.

This product contains heavy metal impurities. Its use may lead to an accumulation of cadmium in the soil. Depending on soil characteristics, irrigation water quality, plant species and variety, crop uptake of cadmium may exceed the maximum limits allowed in FSANZ Food Standards Code. In pastures, the offal from grazing animals may also exceed these limits. Users are encouraged to seek further advice.

STORAGE AND HANDLING

Do not store mixed product. Store out of direct sunlight and below 30°C, away from children, animals, food and feed. Shelf life of 36 months when stored per directions. Dispose of contents and container in accordance with local regulations.

DIRECTIONS FOR USE

Read and follow safety directions, use appropriate personal protective equipment and handling equipment. Before using this product, seek appropriate agronomic advice. www.bioag.com.au/contact

AGITATE BEFORE USE

Be aware of risk of blow under windy conditions. Following use allow adequate time to flush the irrigation system with clean water, including all mainlines, submains and lateral delivery lines.

COMPATIBILITY

Before tank mixing, jar test all added products for compatibility of use.

APPLICATION

Boom Spray, Fertigation, Aerial or Furrow Injection.

TYPICAL APPLICATION RATE

6 to 10 l/ha as soil drench. 1l/ha as foliar. Consult your BioAg agronomist or distributor.

ANALYSIS: Please contact BioAg for a complete product analysis.

Manufactured by BioAg Pty Ltd ABN 58 086 880 211
22-26 Twynam St Narrandera NSW 2700 Australia
T: +61 2 6958 9911 F: +61 2 6959 9922
W: www.bioag.com.au

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS



Zinc

1,000 L

Liquid micro-nutrient fertiliser


Zinc as sulphate 165 g/l
Sulphur as sulphate 78 g/l



Australian owned and operated

DANGER

Causes serious eye damage.
Very Toxic to aquatic life. Very toxic to aquatic life with long lasting effects



FIRST AID

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor (at once).

If swallowed, do NOT induce vomiting.

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

IN EVENT OF AN EMERGENCY DIAL 000

CONDITIONS OF SALE

The product has a limited shelf life and must be stored in accordance with the storage and handling directions to preserve shelf life. Failure to store correctly or use after the expiry of shelf life is a breach of the conditions of sale. As BioAg cannot exercise control over storage, handling, and the exercise of personal judgment, skill and expertise in the mixing, application or use, or weather, or animal condition before, during or after application, all of which may affect the performance of the product, BioAg, to the maximum extent permitted by law, will not accept any liability for any failure in performance of the product, or any losses or damages whatsoever.

Except as expressly provided in these Conditions of Sale, no warranty, condition, undertaking or term, express or implied, statutory or otherwise, as to the quality or fitness for purpose of the goods is given or assumed by BioAg and all such conditions, warranties and liabilities (including liability as to negligence) express or implied relating to the goods are hereby excluded to the extent permitted by law. To the extent that liability can be shown (under law) it is limited to the replacement of goods or their equivalent monetary value only.

Batch No / DOM: