

Nutritional supplement for ruminants and other animals



RumiMate®

BioAg's **RumiMate®** is a revolutionary way of delivering essential nutrients and metabolites to your livestock as well as stimulating microbial activity in the rumen and stomach systems of animals. The end result is enhanced digestion, improving animal production and animal wellbeing.

RumiMate® is formulated to stimulate microbial activity in the animal's digestive tract. It enhances the natural replenishment of digestive microflora that occurs through grazing or foraging. This fermented liquid tonic contains a rich source of vitamins, minerals, proteins, enzymes, amino acids and carbohydrates.

RumiMate® helps to optimise rumen function which improves feed utilisation and nutrient conversion. It also aids stressed animals during feed changes, heat stress and transportation resulting in better healthier stock.

Directions for use		Withholding Period: Nil	
Animal	Situation	Dosage per head per day*	
		Stress (up to first 4 days)	Maintenance (ongoing)
Cattle	Milking	20 mL	6–10 mL
	Beef & dry cows	15–20 mL	3–7 mL
	Calves	8–12 mL	3–4 mL
Sheep	Wethers	8–15 mL	4–5 mL
	Ewes	8–15 mL	4–5 mL
	Lambs	5–8 mL	2–4 mL
Horses	Studs or mares	16 mL	4–8 mL
	Fillies	10–12 mL	5–6 mL
	Colts	8 mL	2–4 mL
Pigs	Sows	20 mL	6–10 mL
	Piglets	3–4 mL	1–2 mL
	Weaners	6 mL	2–3 mL
	Growers	10–15 mL	4–7 mL

QUICK FACTS

- **Balanced nutrient supply** for all types of livestock.
- **RumiMate® stimulates digestive microbial activity** and enhances natural digestive microflora.
- **Administer RumiMate®** by oral drench or mix with drinking water or feed rations.

Application

- Agitate contents well before use.
- Use ONE of the following methods:
 - **oral drench:** use undiluted product and standard drenching procedures.
 - **mix with drinking water:** add directly to water troughs, ensuring stock receive correct dosage based on standard drinking volume.
 - **mix with feed ration:** dilute with water and mix with feed ration at total volume of 5 litres per tonne of feed.

*The dosage rates depend on a range of factors including: animal weight, physiological state and health; feed availability and quality (e.g. pasture, grain, hay, silage); environmental conditions. Use the Stress rate when stock are not performing normally and revert to the Maintenance rate after two days.



BioAg Pty Ltd

Head Office
22-26 Twynam Street
Narrandera NSW 2700

(02) 6958 9911
admin@bioag.com.au
bioag.com.au

Better soils. Better crops. Better stock.

BioAg is Australian-owned and operated and has been manufacturing liquid biostimulants and natural phosphate fertilisers since 1999.